

Package: pool (via r-universe)

October 3, 2024

Type Package

Title Object Pooling

Version 1.0.3.9000

Description Enables the creation of object pools, which make it less computationally expensive to fetch a new object. Currently the only supported pooled objects are 'DBI' connections.

License MIT + file LICENSE

URL <https://github.com/rstudio/pool>, <https://rstudio.github.io/pool/>

BugReports <https://github.com/rstudio/pool/issues>

Depends methods, R (>= 3.6.0)

Imports DBI (>= 1.2.1), later (>= 1.0.0), R6, rlang (>= 1.0.0)

Suggests covr, dbplyr (>= 2.4.0), dplyr, knitr, rmarkdown, RSQLite, shiny, testthat (>= 3.0.0), tibble

VignetteBuilder knitr

Config/Needs/website tidyverse/tidytemplate

Config/testthat/edition 3

Encoding UTF-8

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.2

Repository <https://rstudio.r-universe.dev>

RemoteUrl <https://github.com/rstudio/pool>

RemoteRef HEAD

RemoteSha f3b0cfa965c2238f427d16c4b4046e4599a783e5

Contents

DBI-custom	2
DBI-wrap	3
dbPool	7

Pool-class	8
poolCheckout	9
poolWithTransaction	10
tbl.Pool	12

Index	14
--------------	-----------

DBI-custom	<i>Unsupported DBI methods</i>
------------	--------------------------------

Description

Most pool methods for DBI generics check out a connection, perform the operation, and then return the connection to the pool, as described in [DBI-wrap](#).

This page describes the exceptions:

- `DBI::dbSendQuery()` and `DBI::dbSendStatement()` can't work with pool because they return result sets that are bound to a specific connection. Instead use `DBI::dbGetQuery()`, `DBI::dbExecute()`, or `localCheckout()`.
- `DBI::dbBegin()`, `DBI::dbRollback()`, `DBI::dbCommit()`, and `DBI::dbWithTransaction()` can't work with pool because transactions are bound to a connection. Instead use `poolWithTransaction()`.
- `DBI::dbDisconnect()` can't work because pool handles disconnection. Use `poolClose()` instead.
- `DBI::dbGetInfo()` returns information about the pool, not the database connection.
- `DBI::dbIsValid()` returns whether or not the entire pool is valid (i.e. not closed).

Usage

```
## S4 method for signature 'Pool'
dbSendQuery(conn, statement, ...)
```

```
## S4 method for signature 'Pool,ANY'
dbSendStatement(conn, statement, ...)
```

```
## S4 method for signature 'Pool'
dbDisconnect(conn, ...)
```

```
## S4 method for signature 'Pool'
dbGetInfo(dbObj, ...)
```

```
## S4 method for signature 'Pool'
dbIsValid(dbObj, ...)
```

```
## S4 method for signature 'Pool'
dbBegin(conn, ...)
```

```
## S4 method for signature 'Pool'
```

```
dbCommit(conn, ...)

## S4 method for signature 'Pool'
dbRollback(conn, ...)

## S4 method for signature 'Pool'
dbWithTransaction(conn, code)
```

Arguments

conn, dbObj A Pool object, as returned from [dbPool\(\)](#).
statement, code, ... See DBI documentation.

DBI-wrap

DBI methods (simple wrappers)

Description

These pool method for DBI generics methods check out a connection (with [poolCheckout\(\)](#)), recall the generic, then return the connection to the pool (with [poolReturn\(\)](#)). See [DBI-custom](#) for DBI methods that do not work with pool objects.

Usage

```
## S4 method for signature 'Pool'
dbDataType(dbObj, obj, ...)

## S4 method for signature 'Pool,ANY'
dbGetQuery(conn, statement, ...)

## S4 method for signature 'Pool,ANY'
dbExecute(conn, statement, ...)

## S4 method for signature 'Pool,ANY'
dbListFields(conn, name, ...)

## S4 method for signature 'Pool'
dbListTables(conn, ...)

## S4 method for signature 'Pool'
dbListObjects(conn, prefix = NULL, ...)

## S4 method for signature 'Pool,ANY'
dbReadTable(conn, name, ...)

## S4 method for signature 'Pool,ANY'
```

```
dbWriteTable(conn, name, value, ...)

## S4 method for signature 'Pool'
dbCreateTable(conn, name, fields, ..., row.names = NULL, temporary = FALSE)

## S4 method for signature 'Pool'
dbAppendTable(conn, name, value, ..., row.names = NULL)

## S4 method for signature 'Pool,ANY'
dbExistsTable(conn, name, ...)

## S4 method for signature 'Pool,ANY'
dbRemoveTable(conn, name, ...)

## S4 method for signature 'Pool'
dbIsReadOnly(dbObj, ...)

## S4 method for signature 'Pool'
sqlData(con, value, row.names = NA, ...)

## S4 method for signature 'Pool'
sqlCreateTable(con, table, fields, row.names = NA, temporary = FALSE, ...)

## S4 method for signature 'Pool'
sqlAppendTable(con, table, values, row.names = NA, ...)

## S4 method for signature 'Pool'
sqlInterpolate(conn, sql, ..., .dots = list())

## S4 method for signature 'Pool'
sqlParseVariables(conn, sql, ...)

## S4 method for signature 'Pool,ANY'
dbQuoteIdentifier(conn, x, ...)

## S4 method for signature 'Pool'
dbUnquoteIdentifier(conn, x, ...)

## S4 method for signature 'Pool'
dbQuoteLiteral(conn, x, ...)

## S4 method for signature 'Pool,ANY'
dbQuoteString(conn, x, ...)

## S4 method for signature 'Pool'
dbAppendTableArrow(conn, name, value, ...)

## S4 method for signature 'Pool'
```

```
dbCreateTableArrow(conn, name, value, ..., temporary = FALSE)
```

```
## S4 method for signature 'Pool'
dbGetQueryArrow(conn, statement, ...)
```

```
## S4 method for signature 'Pool'
dbReadTableArrow(conn, name, ...)
```

```
## S4 method for signature 'Pool'
dbSendQueryArrow(conn, statement, ...)
```

```
## S4 method for signature 'Pool'
dbWriteTableArrow(conn, name, value, ...)
```

Arguments

dbObj	A object inheriting from DBIDriver or DBIConnection
obj	An R object whose SQL type we want to determine.
...	Other arguments passed on to methods.
conn	A DBIConnection object, as returned by dbConnect() .
statement	a character string containing SQL.
name	The table name, passed on to dbQuoteIdentifier() . Options are: <ul style="list-style-type: none"> • a character string with the unquoted DBMS table name, e.g. "table_name", • a call to Id() with components to the fully qualified table name, e.g. <code>Id(schema = "my_schema", table = "table_name")</code> • a call to SQL() with the quoted and fully qualified table name given verbatim, e.g. <code>SQL('"my_schema"."table_name"')</code>
prefix	A fully qualified path in the database's namespace, or NULL. This argument will be processed with dbUnquoteIdentifier() . If given the method will return all objects accessible through this prefix.
value	A data.frame (or coercible to data.frame).
fields	Either a character vector or a data frame. A named character vector: Names are column names, values are types. Names are escaped with dbQuoteIdentifier() . Field types are unescaped. A data frame: field types are generated using dbDataType() .
row.names	Must be NULL.
temporary	If TRUE, will generate a temporary table.
con	A database connection.
table	The table name, passed on to dbQuoteIdentifier() . Options are: <ul style="list-style-type: none"> • a character string with the unquoted DBMS table name, e.g. "table_name", • a call to Id() with components to the fully qualified table name, e.g. <code>Id(schema = "my_schema", table = "table_name")</code> • a call to SQL() with the quoted and fully qualified table name given verbatim, e.g. <code>SQL('"my_schema"."table_name"')</code>

values	A data frame. Factors will be converted to character vectors. Character vectors will be escaped with <code>dbQuoteString()</code> .
sql	A SQL string containing variables to interpolate. Variables must start with a question mark and can be any valid R identifier, i.e. it must start with a letter or <code>.</code> , and be followed by a letter, digit, <code>.</code> or <code>_</code> .
.dots	A list of named arguments to interpolate.
x	A character vector, <code>SQL</code> or <code>Id</code> object to quote as identifier.

Examples

```
mtcars1 <- mtcars[ c(1:16), ] # first half of the mtcars dataset
mtcars2 <- mtcars[-c(1:16), ] # second half of the mtcars dataset

pool <- dbPool(RSQLite::SQLite())

# write the mtcars1 table into the database
dbWriteTable(pool, "mtcars", mtcars1, row.names = TRUE)

# list the current tables in the database
dbListTables(pool)

# read the "mtcars" table from the database (only 16 rows)
dbReadTable(pool, "mtcars")

# append mtcars2 to the "mtcars" table already in the database
dbWriteTable(pool, "mtcars", mtcars2, row.names = TRUE, append = TRUE)

# read the "mtcars" table from the database (all 32 rows)
dbReadTable(pool, "mtcars")

# get the names of the columns in the databases's table
dbListFields(pool, "mtcars")

# use dbExecute to change the "mpg" and "cyl" values of the 1st row
dbExecute(pool,
  paste(
    "UPDATE mtcars",
    "SET mpg = '22.0', cyl = '10'",
    "WHERE row_names = 'Mazda RX4'"
  )
)

# read the 1st row of "mtcars" table to confirm the previous change
dbGetQuery(pool, "SELECT * FROM mtcars WHERE row_names = 'Mazda RX4'")

# drop the "mtcars" table from the database
dbRemoveTable(pool, "mtcars")

# list the current tables in the database
dbListTables(pool)

poolClose(pool)
```

dbPool

*Create a pool of database connections***Description**

dbPool() is a drop-in replacement for [DBI::dbConnect\(\)](#) that provides a shared pool of connections that can automatically reconnect to the database if needed. See [DBI-wrap](#) for methods to use with pool objects, and [DBI-custom](#) for unsupported methods and the "pool" way of using them.

Usage

```
dbPool(
  drv,
  ...,
  minSize = 1,
  maxSize = Inf,
  onCreate = NULL,
  idleTimeout = 60,
  validationInterval = 60,
  validateQuery = NULL
)
```

Arguments

drv	A DBI Driver , e.g. <code>RSQLite::SQLite()</code> , <code>RPostgres::Postgres()</code> , <code>odbc::odbc()</code> etc.
...	Arguments passed on to DBI::dbConnect() . These are used to identify the database and provide needed authentication.
minSize, maxSize	The minimum and maximum number of objects in the pool.
onCreate	A function that takes a single argument, a connection, and is called when the connection is created. Use this with DBI::dbExecute() to set default options on every connection created by the pool.
idleTimeout	Number of seconds to wait before destroying idle objects (i.e. objects available for checkout over and above minSize).
validationInterval	Number of seconds to wait between validating objects that are available for checkout. These objects are validated in the background to keep them alive. To force objects to be validated on every checkout, set <code>validationInterval = 0</code> .
validateQuery	A simple query that can be used to verify that the connection is valid. If not provided, dbPool() will try a few common options, but these don't work for all databases.

Details

A new connection is created transparently

- if the pool is empty - if the currently checked out connection is invalid (checked at most once every 'validationInterval' seconds) - if the pool is not full and the connections are all in use

Use [poolClose()] to close the pool and all connections in it. See [poolCreate()] for details on the internal workings of the pool.

Examples

```
# You use a dbPool in the same way as a standard DBI connection
pool <- dbPool(RSQLite::SQLite(), dbname = demoDb())
pool

dbGetQuery(pool, "SELECT * FROM mtcars LIMIT 4")

# Always close a pool when you're done using it
poolClose(pool)
```

Pool-class

Create a pool of reusable objects

Description

A generic pool class that holds objects. These can be fetched from the pool and released back to it at will, with very little computational cost. The pool should be created only once and closed when it is no longer needed, to prevent leaks.

Every usage of poolCreate() should always be paired with a call to poolClose() to avoid "leaking" resources. In shiny app, you should create the pool outside of the server function and close it on stop, i.e. onStop(function() pool::poolClose(pool)).

See [dbPool\(\)](#) for an example of object pooling applied to DBI database connections.

Usage

```
poolCreate(
  factory,
  minSize = 1,
  maxSize = Inf,
  idleTimeout = 60,
  validationInterval = 60,
  state = NULL
)

poolClose(pool)

## S4 method for signature 'Pool'
poolClose(pool)
```


Arguments

factory	A zero-argument function called to create the objects that the pool will hold (e.g. for DBI database connections, <code>dbPool()</code> uses a wrapper around <code>DBI::dbConnect()</code>).
minSize, maxSize	The minimum and maximum number of objects in the pool.
idleTimeout	Number of seconds to wait before destroying idle objects (i.e. objects available for checkout over and above minSize).
validationInterval	Number of seconds to wait between validating objects that are available for checkout. These objects are validated in the background to keep them alive. To force objects to be validated on every checkout, set <code>validationInterval = 0</code> .
state	A pool public variable to be used by backend authors.
pool	A Pool object previously created with <code>poolCreate</code>

poolCheckout	<i>Check out and return object from the pool</i>
--------------	--

Description

Use `poolCheckout()` to check out an object from the pool and `poolReturn()` to return it. You will receive a warning if all objects aren't returned before the pool is closed.

`localCheckout()` is a convenience function that can be used inside functions (and other function-scoped operations like `shiny::reactive()` and `local()`). It checks out an object and automatically returns it when the function exits

Note that validation is only performed when the object is checked out, so you generally want to keep the checked out around for as little time as possible.

When pooling DBI database connections, you normally would not use `poolCheckout()`. Instead, for single-shot queries, treat the pool object itself as the DBI connection object and it will perform checkout/return for you. And for transactions, use `poolWithTransaction()`. See `dbPool()` for an example.

Usage

```
poolCheckout(pool)

## S4 method for signature 'Pool'
poolCheckout(pool)

poolReturn(object)

## S4 method for signature 'ANY'
poolReturn(object)

localCheckout(pool, env = parent.frame())
```

Arguments

pool	The pool to get the object from.
object	Object to return
env	Environment corresponding to the execution frame. For expert use only.

Examples

```

pool <- dbPool(RSQLite::SQLite())
# For illustration only. You normally would not explicitly use
# poolCheckout with a DBI connection pool (see Description).
con <- poolCheckout(pool)
con
poolReturn(con)

f <- function() {
  con <- localCheckout(pool)
  # do something ...
}
f()

poolClose(pool)

```

poolWithTransaction *Self-contained database transactions using pool*

Description

This function allows you to use a pool object directly to execute a transaction on a database connection, without ever having to actually check out a connection from the pool and then return it. Using this function instead of the direct transaction methods will guarantee that you don't leak connections or forget to commit/rollback a transaction.

Usage

```
poolWithTransaction(pool, func)
```

Arguments

pool	The pool object to fetch the connection from.
func	A function that has one argument, conn (a database connection checked out from pool).

Details

This function is similar to `DBI::dbWithTransaction()`, but its arguments work a little differently. First, it takes in a pool object, instead of a connection. Second, instead of taking an arbitrary chunk of code to execute as a transaction (i.e. either run all the commands successfully or not run any of them), it takes in a function. This function (the `func` argument) gives you an argument to use in its body, a database connection. So, you can use connection methods without ever having to check out a connection. But you can also use arbitrary R code inside the `func`'s body. This function will be called once we fetch a connection from the pool. Once the function returns, we release the connection back to the pool.

Like its DBI sister `DBI::dbWithTransaction()`, this function calls `dbBegin()` before executing the code, and `dbCommit()` after successful completion, or `dbRollback()` in case of an error. This means that calling `poolWithTransaction` always has side effects, namely to commit or roll back the code executed when `func` is called. In addition, if you modify the local R environment from within `func` (e.g. setting global variables, writing to disk), these changes will persist after the function has returned.

Also, like `DBI::dbWithTransaction()`, there is also a special function called `dbBreak()` that allows for an early, silent exit with rollback. It can be called only from inside `poolWithTransaction`.

Value

`func`'s return value.

Examples

```
if (requireNamespace("RSQLite", quietly = TRUE)) {
  pool <- dbPool(RSQLite::SQLite(), dbname = ":memory:")

  dbWriteTable(pool, "cars", head(cars, 3))
  dbReadTable(pool, "cars") # there are 3 rows

  ## successful transaction
  poolWithTransaction(pool, function(conn) {
    dbExecute(conn, "INSERT INTO cars (speed, dist) VALUES (1, 1);")
    dbExecute(conn, "INSERT INTO cars (speed, dist) VALUES (2, 2);")
    dbExecute(conn, "INSERT INTO cars (speed, dist) VALUES (3, 3);")
  })
  dbReadTable(pool, "cars") # there are now 6 rows

  ## failed transaction -- note the missing comma
  tryCatch(
    poolWithTransaction(pool, function(conn) {
      dbExecute(conn, "INSERT INTO cars (speed, dist) VALUES (1, 1);")
      dbExecute(conn, "INSERT INTO cars (speed dist) VALUES (2, 2);")
      dbExecute(conn, "INSERT INTO cars (speed, dist) VALUES (3, 3);")
    }),
    error = identity
  )
  dbReadTable(pool, "cars") # still 6 rows

  ## early exit, silently
```

```

poolWithTransaction(pool, function(conn) {
  dbExecute(conn, "INSERT INTO cars (speed, dist) VALUES (1, 1);")
  dbExecute(conn, "INSERT INTO cars (speed, dist) VALUES (2, 2);")
  if (nrow(dbReadTable(conn, "cars")) > 7) dbBreak()
  dbExecute(conn, "INSERT INTO cars (speed, dist) VALUES (3, 3);")
})
dbReadTable(pool, "cars") # still 6 rows

poolClose(pool)

} else {
  message("Please install the 'RSQLite' package to run this example")
}

```

tbl.Pool

Use pool with dbplyr

Description

Wrappers for key dplyr (and dbplyr) methods so that pool works seamlessly with **dbplyr**.

Usage

```
tbl.Pool(src, from, ..., vars = NULL)
```

```
copy_to.Pool(dest, df, name = NULL, overwrite = FALSE, temporary = TRUE, ...)
```

Arguments

src, dest	A dbPool .
from	Name table or dbplyr::sql() string.
...	Other arguments passed on to the individual methods
vars	A character vector of variable names in src. For expert use only.
df	A local data frame, a <code>tbl_sql</code> from same source, or a <code>tbl_sql</code> from another source. If from another source, all data must transition through R in one pass, so it is only suitable for transferring small amounts of data.
name	Name for remote table. Defaults to the name of df, if it's an identifier, otherwise uses a random name.
overwrite	If TRUE, will overwrite an existing table with name name. If FALSE, will throw an error if name already exists.
temporary	if TRUE, will create a temporary table that is local to this connection and will be automatically deleted when the connection expires

Examples

```
library(dplyr)

pool <- dbPool(RSQLite::SQLite())
# copy a table into the database
copy_to(pool, mtcars, "mtcars", temporary = FALSE)

# retrieve a table
mtcars_db <- tbl(pool, "mtcars")
mtcars_db
mtcars_db %>% select(mpg, cyl, disp)
mtcars_db %>% filter(cyl == 6) %>% collect()

poolClose(pool)
```

Index

`copy_to.Pool (tbl.Pool)`, [12](#)

`data.frame`, [5](#)

`dbAppendTable.Pool-method (DBI-wrap)`, [3](#)

`dbAppendTableArrow.Pool-method (DBI-wrap)`, [3](#)

`dbBegin.Pool-method (DBI-custom)`, [2](#)

`dbCommit.Pool-method (DBI-custom)`, [2](#)

`dbConnect()`, [5](#)

`dbCreateTable.Pool-method (DBI-wrap)`, [3](#)

`dbCreateTableArrow.Pool-method (DBI-wrap)`, [3](#)

`dbDataType()`, [5](#)

`dbDataType.Pool-method (DBI-wrap)`, [3](#)

`dbDisconnect.Pool-method (DBI-custom)`, [2](#)

`dbExecute.Pool, ANY-method (DBI-wrap)`, [3](#)

`dbExistsTable.Pool, ANY-method (DBI-wrap)`, [3](#)

`dbGetInfo.Pool-method (DBI-custom)`, [2](#)

`dbGetQuery.Pool, ANY-method (DBI-wrap)`, [3](#)

`dbGetQueryArrow.Pool-method (DBI-wrap)`, [3](#)

`DBI Driver`, [7](#)

`DBI-custom`, [2](#), [3](#), [7](#)

`DBI-wrap`, [2](#), [3](#), [7](#)

`DBI::dbBegin()`, [2](#)

`DBI::dbCommit()`, [2](#)

`DBI::dbConnect()`, [7](#)

`DBI::dbDisconnect()`, [2](#)

`DBI::dbExecute()`, [2](#), [7](#)

`DBI::dbGetInfo()`, [2](#)

`DBI::dbGetQuery()`, [2](#)

`DBI::dbIsValid()`, [2](#)

`DBI::dbRollback()`, [2](#)

`DBI::dbSendQuery()`, [2](#)

`DBI::dbSendStatement()`, [2](#)

`DBI::dbWithTransaction()`, [2](#), [11](#)

`DBIConnection`, [5](#)

`DBIDriver`, [5](#)

`dbIsReadOnly.Pool-method (DBI-wrap)`, [3](#)

`dbIsValid.Pool-method (DBI-custom)`, [2](#)

`dbListFields.Pool, ANY-method (DBI-wrap)`, [3](#)

`dbListObjects.Pool-method (DBI-wrap)`, [3](#)

`dbListTables.Pool-method (DBI-wrap)`, [3](#)

`dbplyr::sql()`, [12](#)

`dbPool`, [7](#), [12](#)

`dbPool()`, [3](#), [8](#), [9](#)

`dbQuoteIdentifier()`, [5](#)

`dbQuoteIdentifier.Pool, ANY-method (DBI-wrap)`, [3](#)

`dbQuoteLiteral.Pool-method (DBI-wrap)`, [3](#)

`dbQuoteString()`, [6](#)

`dbQuoteString.Pool, ANY-method (DBI-wrap)`, [3](#)

`dbReadTable.Pool, ANY-method (DBI-wrap)`, [3](#)

`dbReadTableArrow.Pool-method (DBI-wrap)`, [3](#)

`dbRemoveTable.Pool, ANY-method (DBI-wrap)`, [3](#)

`dbRollback.Pool-method (DBI-custom)`, [2](#)

`dbSendQuery.Pool-method (DBI-custom)`, [2](#)

`dbSendQueryArrow.Pool-method (DBI-wrap)`, [3](#)

`dbSendStatement.Pool, ANY-method (DBI-custom)`, [2](#)

`dbUnquoteIdentifier()`, [5](#)

`dbUnquoteIdentifier.Pool-method (DBI-wrap)`, [3](#)

`dbWithTransaction.Pool-method (DBI-custom)`, [2](#)

`dbWriteTable.Pool, ANY-method (DBI-wrap)`, [3](#)

`dbWriteTableArrow.Pool-method (DBI-wrap)`, [3](#)

`Id`, [6](#)

`Id()`, [5](#)

- localCheckout (poolCheckout), 9
- localCheckout(), 2

- Pool (Pool-class), 8
- Pool-class, 8
- poolCheckout, 9
- poolCheckout(), 3
- poolCheckout, Pool-method
 - (poolCheckout), 9
- poolClose (Pool-class), 8
- poolClose(), 2
- poolClose, Pool-method (Pool-class), 8
- poolCreate (Pool-class), 8
- poolReturn (poolCheckout), 9
- poolReturn(), 3
- poolReturn, ANY-method (poolCheckout), 9
- poolWithTransaction, 10
- poolWithTransaction(), 2, 9

- SQL, 6
- SQL(), 5
- sqlAppendTable, Pool-method (DBI-wrap), 3
- sqlCreateTable, Pool-method (DBI-wrap), 3
- sqlData, Pool-method (DBI-wrap), 3
- sqlInterpolate, Pool-method (DBI-wrap), 3
- sqlParseVariables, Pool-method
 - (DBI-wrap), 3

- tbl.Pool, 12