

Package: revealjs (via r-universe)

June 25, 2024

Type Package

Title R Markdown Format for 'reveal.js' Presentations

Version 0.9.1.9007

Date 2017-03-13

Description R Markdown format for 'reveal.js' presentations, a framework for easily creating beautiful presentations using HTML.

License MIT + file LICENSE

URL <https://github.com/rstudio/revealjs>

BugReports <https://github.com/rstudio/revealjs/issues>

Depends R (>= 3.0)

Imports rmarkdown (>= 1.7)

Suggests bslib, testthat (>= 3.0.0), withr (>= 2.4.2), xfun (>= 0.21), xml2

Config/testthat/edition 3

Encoding UTF-8

Roxygen list(markdown = TRUE)

RoxygenNote 7.2.3

Repository <https://rstudio.r-universe.dev>

RemoteUrl <https://github.com/rstudio/revealjs>

RemoteRef HEAD

RemoteSha 37782091f88635b00341d708b6311465efe1a444

Contents

| | |
|---------------------------------|----------|
| revealjs_presentation | 2 |
| Index | 6 |

revealjs_presentation *Convert to a reveal.js presentation*

Description

Format for converting from R Markdown to a reveal.js presentation.

Usage

```
revealjs_presentation(  
  incremental = FALSE,  
  center = FALSE,  
  slide_level = 2,  
  toc = FALSE,  
  toc_depth = 3,  
  fig_width = 8,  
  fig_height = 6,  
  fig_retina = if (!fig_caption) 2,  
  fig_caption = FALSE,  
  self_contained = TRUE,  
  theme = "simple",  
  transition = "convex",  
  background_transition = "fade",  
  reveal_options = NULL,  
  reveal_plugins = NULL,  
  highlight = "default",  
  mathjax = "default",  
  template = "default",  
  css = NULL,  
  includes = NULL,  
  keep_md = FALSE,  
  lib_dir = NULL,  
  pandoc_args = NULL,  
  extra_dependencies = NULL,  
  md_extensions = NULL,  
  ...  
)
```

Arguments

| | |
|-------------|---|
| incremental | TRUE to render slide bullets incrementally. Note that if you want to reverse the default incremental behavior for an individual bullet you can precede it with >. For example: > - Bullet Text. See more in Pandoc's Manual |
| center | TRUE to vertically center content on slides |

| | |
|-----------------------|---|
| slide_level | Level of heading to denote individual slides. If <code>slide_level</code> is 2 (the default), a two-dimensional layout will be produced, with level 1 headers building horizontally and level 2 headers building vertically. It is not recommended that you use deeper nesting of section levels with reveal.js. |
| toc | TRUE to include a table of contents in the output (only level 1 headers will be included in the table of contents). |
| toc_depth | Depth of headers to include in table of contents |
| fig_width | Default width (in inches) for figures |
| fig_height | Default height (in inches) for figures |
| fig_retina | Scaling to perform for retina displays (defaults to 2, which currently works for all widely used retina displays). Set to NULL to prevent retina scaling. Note that this will always be NULL when <code>keep_md</code> is specified (this is because <code>fig_retina</code> relies on outputting HTML directly into the markdown document). |
| fig_caption | TRUE to render figures with captions |
| self_contained | Whether to generate a full LaTeX document (TRUE) or just the body of a LaTeX document (FALSE). Note the LaTeX document is an intermediate file unless <code>keep_tex = TRUE</code> . |
| theme | Visual theme ("simple", "dark", "black", "sky", "beige", "serif", "solarized", "blood", "moon", "night", "league", or "white") |
| transition | Slide transition ("convex", "fade", "slide", "concave", "zoom", or "none") |
| background_transition | Slide background-transition ("convex", "fade", "slide", "concave", "zoom", or "none") |
| reveal_options | Additional options to specify for reveal.js (see https://revealjs.com/config/ for details). Options for plugins can also be passed, using plugin name as first level key (e.g <code>list(slideNumber = FALSE, menu = list(number = TRUE))</code>). |
| reveal_plugins | Reveal plugins to include. Available plugins include "notes", "search", "zoom", "chalkboard", and "menu". Note that <code>self_contained</code> must be set to FALSE in order to use Reveal plugins. |
| highlight | Syntax highlighting style passed to Pandoc. Supported built-in styles include "default", "tango", "pygments", "kate", "monochrome", "espresso", "zenburn", "haddock", and "breezedark". Two custom styles are also included, "arrow", an accessible color scheme, and "rstudio", which mimics the default IDE theme. Alternatively, supply a path to a <code>.theme</code> file to use a custom Pandoc style . Note that custom theme requires Pandoc 2.0+. Pass NULL to prevent syntax highlighting. |
| mathjax | Include mathjax. The "default" option uses an https URL from a MathJax CDN. The "local" option uses a local version of MathJax (which is copied into the output directory). You can pass an alternate URL or pass NULL to exclude MathJax entirely. |
| template | Pandoc template to use for rendering. Pass "default" to use the rmarkdown package default template; pass NULL to use pandoc's built-in template; pass a path to |

| | |
|--------------------|--|
| | use a custom template that you've created. Note that if you don't use the "default" template then some features of revealjs_presentation won't be available (see the Templates section below for more details). |
| css | CSS and/or Sass files to include. Files with an extension of .sass or .scss are compiled to CSS via <code>sass:::sass()</code> . Also, if theme is a <code>bslib::bs_theme()</code> object, Sass code may reference the relevant Bootstrap Sass variables, functions, mixins, etc. |
| includes | Named list of additional content to include within the document (typically created using the <code>includes</code> function). |
| keep_md | Keep the markdown file generated by knitting. |
| lib_dir | Directory to copy dependent HTML libraries (e.g. jquery, bootstrap, etc.) into. By default this will be the name of the document with <code>_files</code> appended to it. |
| pandoc_args | Additional command line options to pass to pandoc |
| extra_dependencies | Additional function arguments to pass to the base R Markdown HTML output formatter <code>rmarkdown::html_document_base()</code> . |
| md_extensions | Markdown extensions to be added or removed from the default definition of R Markdown. See the <code>rmarkdown_format</code> for additional details. |
| ... | Ignored |

Details

In reveal.js presentations you can use level 1 or level 2 headers for slides. If you use a mix of level 1 and level 2 headers then a two-dimensional layout will be produced, with level 1 headers building horizontally and level 2 headers building vertically.

For additional documentation on using revealjs presentations see <https://github.com/rstudio/revealjs>

Value

R Markdown output format to pass to `rmarkdown::render()`

About plugins

Built-in plugins with reveal.js:

Zoom:

When activated, ALT + Click can be used to zoom on a slide.

Notes:

Show a **speaker view** in a separated window. This speaker view contains a timer, current slide, next slide, and speaker notes. It also duplicate the window to have presentation mode synchronized with main presentation.

Use

```
::: notes
```

```
Content of speaker notes
```

```
:::
```

to create notes only viewable in presentation mode.

Search:

When opt-in, it is possible to show a search box when pressing CTRL + SHIFT + F. It will search in the whole presentation, and highlight matched words. The matches will also be highlighted in overview mode (pressing ESC to see all slides in one scrollable view)

Menu:

A slideout menu plugin for Reveal.js to quickly jump to any slide by title.

Version is currently used and documentation for configurations can be found at [denehyg/reveal.js-menu](#)

Known limitations:

Some configurations cannot be modified in the current template:

- loadIcons: false the fontawesome icons are loaded by **rmarkdown** when this plugin is used
- custom: false
- themes: false
- transitions: false

Chalkboard:

A plugin adding a chalkboard and slide annotation

Version is currently used and documentation for configurations can be found at [rajgoel/reveal.js-plugins](#)

By default, chalkboard and annotations modes will be accessible using keyboard shortcuts, respectively, pressing B, or pressing C. In addition, buttons on the bottom left can be added by using the following

```
reveal_plugins:
  - chalkboard
reveal_options:
  chalkboard:
    toggleNotesButton: true
    toggleChalkboardButton: true
```

Examples

```
## Not run:

library(rmarkdown)
library(revealjs)

# simple invocation
render("pres.Rmd", revealjs_presentation())

# specify an option for incremental rendering
render("pres.Rmd", revealjs_presentation(incremental = TRUE))

## End(Not run)
```

Index

`bslib::bs_theme()`, 4

`includes`, 4

`revealjs_presentation`, 2

`rmarkdown::html_document_base()`, 4

`rmarkdown::render()`, 4

`rmarkdown_format`, 4