

Package: swagger (via r-universe)

October 21, 2024

Type Package

Title Dynamically Generates Documentation from a 'Swagger' Compliant API

Version 5.17.14.1

Suggests jsonlite, plumber, testthat

Description A collection of 'HTML', 'JavaScript', and 'CSS' assets that dynamically generate beautiful documentation from a 'Swagger' compliant API: [<https://swagger.io/specification/>](https://swagger.io/specification/).

License Apache License 2.0 | file LICENSE

Encoding UTF-8

URL <https://rstudio.github.io/swagger/>,
<https://github.com/rstudio/swagger>

BugReports <https://github.com/rstudio/swagger/issues>

RoxygenNote 7.3.1

Repository <https://rstudio.r-universe.dev>

RemoteUrl <https://github.com/rstudio/swagger>

RemoteRef HEAD

RemoteSha a0aff9629d172ac1d48b5941180283bba01322d4

Contents

| | |
|-----------------|---|
| swagger-package | 2 |
| swagger_index | 3 |
| swagger_path | 3 |
| swagger_spec | 4 |

| | |
|--------------|----------|
| Index | 5 |
|--------------|----------|

| | |
|-----------------|--|
| swagger-package | <i>swagger: Dynamically Generates Documentation from a Swagger-Compliant API</i> |
|-----------------|--|

Description

Swagger is a collection of HTML, JavaScript, and CSS assets that dynamically generate beautiful documentation from a Swagger-compliant API.

Details

The main purpose of this package is to enable package authors to create APIs that are compatible with <https://swagger.io/> and <https://www.openapis.org/>.

To learn more about Swagger visit: <https://swagger.io/swagger-ui/>

Author(s)

Maintainer: Bruno Tremblay <cran@neoxone.com> [contributor]

Authors:

- Barret Schloerke <barret@rstudio.com> ([ORCID](#))
- Javier Luraschi <javier@rstudio.com>
- SmartBear Software [copyright holder]

Other contributors:

- RStudio [copyright holder]

See Also

Useful links:

- <https://rstudio.github.io/swagger/>
- <https://github.com/rstudio/swagger>
- Report bugs at <https://github.com/rstudio/swagger/issues>

| | |
|---------------|------------------------------|
| swagger_index | <i>Path to Swagger Index</i> |
|---------------|------------------------------|

Description

Retrieves the path to the swagger index file.

Usage

```
swagger_index(version = "5")
```

Arguments

| | |
|---------|---|
| version | Major version number to be used for Swagger UI. Currently version "3" is compatible with OpenAPI spec 2.0, 3.0. |
|---------|---|

Examples

```
if (interactive()) {  
  browseURL(swagger_index())  
} else {  
  print(paste("You can use swagger under: ", swagger_index()))  
}
```

| | |
|--------------|----------------------------------|
| swagger_path | <i>Path to Swagger Resources</i> |
|--------------|----------------------------------|

Description

Retrieves the path to swagger resources.

Usage

```
swagger_path(version = "5")
```

Arguments

| | |
|---------|---|
| version | Major version number to be used for Swagger UI. Currently version "3" is compatible with OpenAPI spec 2.0, 3.0. |
|---------|---|

Examples

```
if (interactive()) {  
  browseURL(swagger_path())  
} else {  
  print(paste("You can explore swagger resources under: ", swagger_path()))  
}
```

`swagger_spec`*Swagger Index File with OpenAPI Path*

Description

Produces the content for a `index.html` file that will attempt to access a provided API path.

Usage

```
swagger_spec(  
  api_path = "\"http://petstore.swagger.io/v2/swagger.json\"",  
  version = "5"  
)
```

Arguments

| | |
|-----------------------|---|
| <code>api_path</code> | Path to paste into the an OpenAPI specification file |
| <code>version</code> | Major version number to be used for Swagger UI. Currently version "3" is compatible with OpenAPI spec 2.0, 3.0. |

Value

large string containing the contents of `swagger_index()` with the appropriate specification path changed to the `api_path` value.

Examples

```
if (interactive()) {  
  swagger_spec("https://developer.uspto.gov/ibd-api/swagger.json")  
}
```

Index

swagger (swagger-package), [2](#)
swagger-package, [2](#)
swagger_index, [3](#), [4](#)
swagger_path, [3](#)
swagger_spec, [4](#)